Cyber**Power** P705G ENERGY-SAVING SURGE PROTECTOR

Offering professional grade surge protection for TVs, PCs and peripherals.

The CyberPower P705G is a commercial and residential surge protector for personal computers, large flat screen TVs, printers, speakers, scanners and home electronics. It offers seven (7) total surge protected outlets and four (4) Energy-Saving outlets designed to turn off up to four connected devices when your TV or PC is shut down or goes into standby mode. The Energy-Saving Threshold Switch keeps the energy-saving feature active when the Master Outlet detects low power consumption.

The P705G features 2,100 joules of protection and metal oxide varistor (MOV) technology, which guards the surge suppressor and connected electronics against line abnormalities and lightning surges. EMI/RFI filters block unwanted line noise from all connected electronics.

Our Flame Resistant Technology uses an ABS housing that provides a high level of protection (UL 94 Recognized V-0 class material).

A Limited Lifetime Warranty ensures that this surge suppressor has passed our highest quality standards in design, assembly, material and workmanship; further protection is offered by a \$250,000 Connected Equipment Guarantee.

Typical Applications:

- Desktop computers
- Personal electronics
- Commercial/residential TVs

Features

- 7 surge protected outlets
- 4 energy-saving outlets
- 1 control/master outlets
- 2 always on outlets
- Energy-saving threshold switch
- 2,100 joules of surge protection
- Flame resistant technology
- 15A circuit breaker
- 5 ft. cord
- EMI/RFI noise filters
- Lifetime warranty




Cyber Power



©2017 Cyber Power Systems (USA), Inc. All rights reserved. CyberPower reserves the right to change, without prior notice, product offerings or specifications. www.cyberpowersystems.com

P705G ENERGY-SAVING SURGE PROTECTOR



SPECIFICATIONS

| INPUT | |
|------------------------------|----------------------------|
| | |
| Voltage | 125V |
| Switch | Non Lighted On/Off - Reset |
| Circuit Breaker | 15A |
| Plug Type | NEMA 5-15P |
| Plug Style | Right Angle, 45° OffseT |
| Cord Length | 5 ft |
| OUTPUT | |
| Outlets - Total | 7 |
| Outlet Type | NEMA 5-15R |
| Outlets - Energy Saving | 4 |
| Outlets - Control/Master | 1 |
| Outlets - Always-on | 2 |
| Outlets - Widely Spaced | 1 |
| SURGE PROTECTION & FILTERING | |
| Surge Suppression | 2,100 Joules |
| Maximum Surge Current | 150,000 Amps |
| Maximum Surge Current H-N | 45,000 Amps |
| Maximum Surge Current H-G | 30,000 Amps |
| Maximum Surge Current N-G | 30,000 Amps |

| SURGE PROTECTION & FILTERING (CONT.) | |
|--------------------------------------|---------------------------------------|
| Clamping Voltage | 400V (L-N, L-G, N-G) |
| Response Time | <1 Nanosecond |
| Attenuation | Upt to 43dB |
| EMI/RFI Filtration | 150kHz-100MHz |
| INDICATORS | |
| Indicators | Protected (green) Grounded (green) |
| PHYSICAL | |
| Enclosure Construction | ABS |
| Keyhole Mounting Slots | Yes |
| Cord MAnagement | Yes |
| Safety Covers | Yes |
| CERTFICATIONS | |
| Safety | UL1449 |
| Environmental | RoHS Compliant |
| WARRANTY | |
| Product Warranty | Limited Lifetime Warranty |
| Connected Equipment Guarantee | Lifetime |
| CEG Amount | \$250,000 |

