



Tri-Max Showerhead

0.5 / 1.0 / 1.5 GPM (1.8 / 3.8 / 5.7 LPM)

- Three flow rate options
- Pressure compensated water flow



















Large POM swivel adjustment



Three Flow Rates

N2615CH* Tri-Max Showerhead

0.5 / 1.0 / 1.5 GPM (1.8 / 3.8 / 5.7 LPM)


Conservation with a *Twist!* Tri-Max is a unique, three-flow rate showerhead, allowing you to match your flow rate to you task and save more while you shower.

- Three pressure compensated flow rate options: 0.5, 1.0 and 1.5 gallon per minute (1.8, 3.8 and 5.7 litre per minute)
- Niagara's patented non-removable pressure compensator provides a constant output of water regardless of pressure
- · Easy grip turn-dial for selecting flow rate
- Even, vacillating motion with a large spray diameter
- Compact, modern design
- Corrosion resistant high-impact ABS thermoplastic body
- · Large POM swivel adjustment, virtually lead free
- Overall dimensions: 2.125" diameter x 3.75" (54 x 97mm)
- 10-year warranty

Certifications: Meets or exceeds: ASME A112.18.1 / CSA B125.1 WaterSense certified - Max. Flow Rate: 1.5 GPM (5.7 LPM) Min. Flow Rate at 45PSI: 1.13 GPM (4.3 LPM)

Case Qty: 100

0.5/1.0/1.5 GPM Flow Rate



1.5 Pressure Compensated Spray

1.0 Pressure Compensated Spray

0.5 Pressure Compensated Spray

Savings

Non-Pressure Compensated Spray

Savings	Water (gallons)	Electric (kWh)	Gas (therms)	Dollars
Electric Water Heater	7200	949	n/a	\$143
Gas Water Heat	7200	n/a	52	\$91

*based on FEMP/DOE data and an average water rate of \$4 per 1,000 gallons. *based on 1.5 GPM

*Also Available in:



White / Gray Item# N2615





Corporate HQ

4200 Diplomacy Road Fort Worth, TX 76155 USA Toll Free: 800.831.8383

Phone: 973.829.0800 Fax: 817.390.0801

For more information please visit: www.NiagaraConservation.com