



## DUAL SPRAY SWIVEL AERATOR

Our Niagara Conservation Dual Spray Swivel Faucet Aerators offer two stream options: a full force multiple stream and a splash-free bubble stream. Two versions (N3115P-FC, N3115VP-FC) of the aerator offer a pause-action valve that reduces flow to a trickle while keeping water temperature constant. All versions of the aerator contain a 360° swivel to direct the water flow where it's needed. The Dual Spray Swivel Aerators produces a pressure compensated stream that performs well at any water pressure. This aerator is also dual threaded to fit both male and female threaded faucets: Male: 15/16-27, Female: 55/64-27.

### THE FEATURES

- Dual threaded
- Fits most male and female threaded faucets, Male 15/16-27, Female 55/64-27
- Housing constructed of durable ABS plastic with high-polish chrome finish, does not contain any unplated brass parts
- Pause-action valve
- 10 year warranty\*\*\*

### CERTIFICATION & PERFORMANCE REQUIREMENTS


- ASME A112.18.1 / CSA B125.1; ANSI/NSF 61
- Chrome plated parts meet ASTM B368 for corrosion testing

MODEL #	SPRAY	FINISH	FLOW RATE	WATERSENSE	CASE QTY.
N3115P	Aerated Bubble/Needle	Chrome/White	1.5 GPM	Yes	250
N3115P-FC	Aerated Bubble/Needle	Chrome/White	1.5 GPM	No	200
N3115VP-FC	Aerated Bubble/Needle	Black/White	1.5 GPM	Yes	200

### THE POTENTIAL ANNUAL SAVINGS\*

	FLOW RATE	WATER	ELECTRIC HEATING	GAS HEATING
DOLLAR SAVINGS	1.5 GPM	\$51	\$39	\$21
UTILITY SAVINGS	1.5 GPM	6,132 gallons	347 kWh	19 therms

## THE DIMENSIONS\*\*



\*Factors in calculating savings potential:

- 3-person households each person using a faucet 8 minutes per day, 365 days per year (AWWARF Residential Study)
- Comparing water use with these aerator vs. a standard 2.2 GPM unit
- US city average water and sewer cost of \$8.3 per 1,000 gallons (study done by NUS

Consulting Group 2011)

- Average cost of electricity 0.113¢ per kWh (Energy Star Nov. 2013 Lightbulb

Calculator — [http://www.energystar.gov/?c=cfls.pr\\_cfls\\_savings](http://www.energystar.gov/?c=cfls.pr_cfls_savings))

- Average cost of gas \$1.137 per therm (Bureau of Labor Statistics April 2014)
- Calculations done by <http://www.fishnick.com/savewater/tools/watercalculator>

\*\*Dimensions are subject to change

### \*\*\*WARRANTY DETAILS

AM Conservation Group, Inc. guarantees to the original purchaser or recipient of an aerator that it is free from defects in material and workmanship for a period of 10 years. AM Conservation Group, Inc. will at our choice replace any part of the aerator which is in our opinion defective provided that the product has not been abused, misused, altered, or damaged after its purchase. This includes damage due to the use of tools or harsh chemicals. In the event a product has been discontinued, AM Conservation Group, Inc. will replace it with what we determine to be the closest product. AM Conservation Group, Inc. is not responsible for labor charges, installation, or other consequential cost. AM Conservation Group, Inc.'s responsibility shall not exceed the original cost of the product.