



Elite Series LED Deco Lamps

Dimmable Decorative
Series



TCP's Elite Decorative lamps closely mimic the look and feel of incandescent, but last much longer and provide excellent energy savings.

Reasons to choose the Elite Series LED Deco Lamps from TCP

- Provides up to 80% energy savings compared to incandescent alternatives
- Replaces 25W, 40W and 60W incandescent lamps
- Smooth, uniform dimming – perfect for chandeliers
- Long life: 25,000 hours
- Excellent color consistency and high color rendering (CRI)
- UL damp location rated – excellent for use in outdoor applications
- Available in E12 and E26 base

Ideal Applications

- Accent lighting
- Chandeliers
- Ceiling Fans
- Indoor/outdoor fixtures
- Wall sconces

Specifications

Input Line Voltage 120 VAC
 Input Line Frequency..... 60HZ
 Lamp Life (Rated) 25,000 hours
 Minimum Starting Temp -30°C
 Maximum Operating Temp..... 40°C

UL/cUL Listed Yes
 Power Factor 92%
 CRI 80
 Suitable for use in totally enclosed fixtures
 Three or more lamps per dimming circuit is recommended for optimal dimming



Elite Series LED Deco Lamps

Specifications



LED5E12B11XXKF \ LED4E12B1127KF



Candelabra Frosted Blunt Tip*



LED5E26B1127KF \ LED4E26B1127KF



LED5E12B11XXK \ LED4E12B11XXK



Candelabra Clear Blunt Tip*



LED5E26B11XXK \ LED4E26B11XXK



LED5E12F1127K \ LED4E12F1127K



Candelabra Clear Flame Tip*



LED5E26F1127K \ LED4E26F1127K

* Also available in an E26 base (frosted and clear)



Elite Series LED Deco Lamps

Specifications

ITEM #	DESCRIPTION	VOLTAGE	WATTS	WATTAGE EQUIVALENT	MOL (inches)	DIA (inches)	LUMENS	LPW	CCT	CRI
LED4E12B1124K	LED 4W B11 DIM 2400K E12	120	3.5	25W	3.8	1.4	250	71.4	2400K	80
LED4E12B1124KF	LED 4W B11 DIM 2400K E12 FROST	120	3.5	25W	3.8	1.4	250	71.4	2400K	80
LED4E12B1127K	LED 4W B11 DIM 2700K E12	120	3.5	25W	3.8	1.4	280	80	2700K	80
LED4E12B1127KF	LED 4W B11 DIM 2700K E12 FROST	120	3.5	25W	3.8	1.4	280	80	2700K	80
LED4E26B1124K	LED 4W B11 DIM 2400K E26	120	3.5	25W	3.8	1.4	250	71.4	2400K	80
LED4E26B1124KF	LED 4W B11 DIM 2400K E26 FROST	120	3.5	25W	3.8	1.4	250	71.4	2400K	80
LED4E26B1127K	LED 4W B11 DIM 2700K E26	120	3.5	25W	3.8	1.4	280	80	2700K	80
LED4E26B1127KF	LED 4W B11 DIM 2700K E26 FROST	120	3.5	25W	3.8	1.4	280	80	2700K	80
LED4E12F1127K	LED 4W F11 DIM 2700K E12	120	3.5	25W	3.8	1.4	280	80	2700K	80
LED4E26F1127K	LED 4W F11 DIM 2700K E26	120	3.5	25W	3.8	1.4	280	80	2700K	80
LED5E12B1124KF	LED 5W B11 DIM 2400K E12 FROST	120	5	40W	3.8	1.4	300	60	2400K	80
LED5E12B1127K	LED 5W B11 DIM 2700K E12	120	5	40W	3.8	1.4	350	70	2700K	80
LED5E12B1127KF	LED 5W B11 DIM 2700K E12 FROST	120	5	40W	3.8	1.4	350	70	2700K	80
LED5E12B1130K	LED 5W B11 DIM 3000K E12	120	5	40W	3.8	1.4	350	75	3000K	80
LED5E12B1150K	LED 5W B11 DIM 5000K E12	120	5	40W	3.8	1.4	375	75	5000K	80
LED5E12B1150KF	LED 5W B11 DIM 5000K E12 FROST	120	5	40W	3.8	1.4	375	75	5000K	80
LED5E26B1127K	LED 5W B11 DIM 2700K E26	120	5	40W	3.8	1.4	350	70	2700K	80
LED5E26B1127KF	LED 5W B11 DIM 2700K E26 FROST	120	5	40W	3.8	1.4	350	70	2700K	80
LED5E26B1130K	LED 5W B11 DIM 3000K E26	120	5	40W	3.8	1.4	350	70	3000K	80
LED5E12F1127K	LED 5W F11 DIM 2700K E12	120	5	40W	3.8	1.4	350	70	2700K	80
LED5E26F1127K	LED 5W F11 DIM 2700K E26	120	5	40W	3.8	1.4	350	70	2700K	80
LED7E26B13D27KF	LED 7W DIM BLUNT TIP - 2700K FROST	120	7	60W	4.54	1.61	500	71.4	2700K	82

SUGGESTED DIMMER COMPATIBILITY	
MANUFACTURER	MODEL NUMBER
Leviton	R50-IPLO6-10M
	R61-06674-POI
Lutron	CTCL-153PDH-WH
	TGCL-153PH-WH
	DVVCL-153PH-WH

Note: E26 compatible dimmer



TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 30 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:

Date:

Model:

Project:

Rep:

Catalog Number:

Type:

Notes:



For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit tcp.com

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516